

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/799,617	03/15/2004	Koji Tsukimori	SON-2967	57 8418	
23353	7590 02/28/2006		EXAMINER		
RADER FISHMAN & GRAUER PLLC			ZAMAN, FAISAL M		
LION BUIL 1233 20TH S	DING STREET N.W., SUITE 50	ART UNIT	PAPER NUMBER		
WASHINGT	ON, DC 20036	2112			

DATE MAILED: 02/28/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		A	pplication No.	Applicant(s)		
Office Action Summary			10/799,617	TSUKIMORI ET	TSUKIMORI ET AL.	
		Ε	xaminer	Art Unit		
		F	aisal Zaman	2112		
The MAIL Period for Reply	ING DATE of this communi	cation appea	rs on the cover sheet v	vith the correspondence	address	
A SHORTENED WHICHEVER IS - Extensions of time n after SIX (6) MONTI - If NO period for repl - Failure to reply with Any reply received b	STATUTORY PERIOD FO S LONGER, FROM THE Manay be available under the provisions of the specified above, the maximum stance is specified above, the maximum stance is the set or extended period for reply by the Office later than three months and adjustment. See 37 CFR 1.704(b).	AILING DAT of 37 CFR 1.136(a unication. tutory period will a will, by statute, car	E OF THIS COMMUN i). In no event, however, may a upply and will expire SIX (6) MO use the application to become a	ICATION. a reply be timely filed ONTHS from the mailing date of thi ABANDONED (35 U.S.C. § 133).		
Status						
2a) ☐ This action 3) ☐ Since this	ve to communication(s) file n is FINAL . 2 application is in condition to	b)⊠ This action to the contraction to the contract	tion is non-final. except for formal ma		the merits is	
Disposition of Clai	ms					
4a) Of the 5) ☐ Claim(s) _ 6) ☑ Claim(s) _ 7) ☐ Claim(s) _ 8) ☐ Claim(s) _	 8 is/are pending in the ap above claim(s) is/ar is/are allowed. 8 is/are rejected is/are objected to are subject to restrict. 	e withdrawn				
Application Papers						
10)⊠ The drawir Applicant n Replaceme	ication is objected to by the ng(s) filed on 15 March 200 may not request that any object that drawing sheet(s) including r declaration is objected to	04 is/are: a)[2 ction to the dra the correction	wing(s) be held in abeya is required if the drawin	ance. See 37 CFR 1.85(a) g(s) is objected to. See 37). CFR 1.121(d).	
Priority under 35 U	.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
	rson's Patent Drawing Review (P' sure Statement(s) (PTO-1449 or l		Paper No	Summary (PTO-413) o(s)/Mail Date Informal Patent Application (I 	PTO-152)	

Application/Control Number: 10/799,617 Page 2

Art Unit: 2112

Information Disclosure Statement

1. The references listed on the Information Disclosure Statement submitted on 16 September 2004 have not been considered by the examiner because Application number/inventor information is inconsistent with information received in the rest of the application. Applicant is requested to re-submit IDS with corrected information.

Specification

2. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

The following title is suggested: --IMAGE EDITING SYSTEM TRANSMITS TIMING NOTICE SIGNAL TO COMPUTER DURING PREDETERMINED TIMING THROUGH USB CABLE IN RESPONSE TO TIMING NOTICE SIGNAL ACQUISITION COMMAND FROM COMPUTER--.

Claim Objections

3. Claim 5 is objected to because of the following informalities:

In lines 10-11, "to receive the timing notice signal" is repeated.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2112

5. Claims 1-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cedola (U.S. Patent No. 6,675,215) in view of Applicant's Admitted Prior Art (hereinafter, "AAPA").

Regarding Claims 1 and 4, Cedola teaches a system having a computer (Cedola, Figure 1, item 24, Column 4, lines 9-18) and a timing notice apparatus (Cedola, Figure 1, item 22, Column 3, lines 6-37) connected to the computer over a serial cable (Cedola, Figure 1, item 26, Column 2 line 66 – Column 3 line 5, it would be obvious to one of ordinary skill in the art that the serial cable 26 could comprise of a universal serial bus (USB) cable), wherein:

The computer (Cedola, Figure 1, item 24, Column 4, lines 9-18) comprises:

Command transmission means for transmitting an acquisition command (Cedola, Column 3, lines 40-45, client computing device 24 sends the text string "CLIENT" to the host computer 22 in order to determine which baud rate to communicate at), which requires to acquire a timing notice signal for predetermined timing notice corresponding to a frame frequency (ie. a baud rate) to be communicated (Cedola, Column 4 lines 50-61, the reception of the timing notice signal [ie. the text string "SERVERCLIENT"] from the host computer 22 indicates that the correct baud rate has been selected), to the timing notice apparatus over the USB cable; and

Notice signal reception means for, as a result of the transmission of the acquisition command, receiving the timing notice signal transmitted from the timing notice apparatus (ie. the host computer 22) over the USB cable under the predetermined timing (Cedola, Column 4 lines 50-61, the reception of the timing notice

Application/Control Number: 10/799,617

Art Unit: 2112

signal [ie. the text string "SERVERCLIENT"] from the host computer 22 indicates that the correct baud rate has been selected), and the timing notice apparatus (Cedola, Figure 1, item 22, Column 3, lines 6-37) comprises:

Command reception means for receiving the acquisition command (Cedola, Figure 1, item 64, Column 3 line 59 – Column 4 line 1) transmitted from the computer over the USB cable; and

Notice signal transmission means for, when the acquisition command is received by the command reception means, transmitting the timing notice signal (Cedola, Figure 1, item 62, Column 3 line 59 – Column 4 line 3, and Column 4 lines 55-61) to the computer over the USB cable under the predetermined timing (ie. under the new baud rate).

Cedola does not expressly disclose that the predetermined timing notice corresponds to a frame frequency of image data to be edited.

In the same field of endeavor (e.g. detecting frame frequency rates for communicating with peripheral devices over a serial connection), AAPA teaches a predetermined timing notice corresponding to a frame frequency of image data to be edited (AAPA, Page 1, lines 5-13 under Description of Related Art).

Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have combined AAPA's teachings of detecting frame frequency rates for communicating with peripheral devices over a serial connection with the teachings of Cedola, for the purpose of easily configuring an apparatus that performs processing in synchronization with the frame timing (see AAPA, Page 2, lines

18-20 under Description of Related Art). Cedola also provides motivation to combine by stating it is an object of the invention to be provide a connection capability for devices with different frame frequencies (ie. baud rates) (see Cedola, Column 2, lines 3-12).

Regarding Claim 2, Cedola teaches wherein for each requirement to acquire the timing notice signal, the command transmission means of the computer transmits the acquisition command to the timing notice apparatus one time over the USB cable (Cedola, Column 3, lines 40-45, client computer 24 sends the text string "CLIENT" to the host computer 22 once), and

When the acquisition command is transmitted by the command transmission means to the timing notice apparatus one time over the USB cable, the notice signal reception means of the computer waits to receive the timing notice signal (Cedola, Column 3, lines 40-45 and Column 4, lines 50-61).

Regarding Claim 3, Cedola teaches wherein when the acquisition command is received by the command reception means, the notice signal transmission means of the timing notice apparatus transmits the timing notice signal, which is input under the predetermined timing that comes foremost after the reception of the acquisition command, to the computer over the USB cable at the same time when the timing notice signal is input (Cedola, Column 3, lines 40-45 and Column 4, lines 50-61, the notice signal [ie. the reply text string "SERVERCLIENT"] is sent to the client computer 24 immediately upon correctly receiving the acquisition command).

Art Unit: 2112

Cedola does not expressly disclose wherein the timing notice apparatus comprises synchronization information extraction means for, from a reference signal provided from outside and in which synchronization information is sequentially stored under the predetermined timing, sequentially extracting the synchronization information to the notice signal transmission means as the timing notice signal for the predetermined timing notice.

In the same field of endeavor, AAPA teaches wherein the timing notice apparatus comprises synchronization information extraction means for, from a reference signal provided from outside and in which synchronization information is sequentially stored under the predetermined timing, sequentially extracting the synchronization information to the notice signal transmission means as the timing notice signal for the predetermined timing notice (AAPA, Page 1 line 5 – Page 2 line 4 under Description of Related Art).

The motivation utilized in the combination of Claim 1, super, applies equally as well to Claim 3.

Regarding Claim 5, Cedola discloses a computer (Cedola, Figure 1, item 24, Column 4, lines 9-18) that is connected to a timing notice apparatus (Cedola, Figure 1, item 22, Column 3, lines 6-37) over a serial cable (Cedola, Figure 1, item 26, Column 2 line 66 – Column 3 line 5, it would be obvious to one of ordinary skill in the art that the serial cable 26 could comprise of a universal serial bus (USB) cable), comprising:

Command transmission means for, for each requirement to acquire a timing notice signal for predetermined timing notice corresponding to a frame frequency (ie. the baud rate) to be communicated (Cedola, Column 4 lines 50-61, the reception of the timing notice signal [ie. the text string "SERVERCLIENT"] from the host computer 22 indicates that the correct baud rate has been selected), transmitting an acquisition command (Cedola, Column 3, lines 40-45, client computing device 24 sends the text string "CLIENT" to the host computer 22 in order to determine which baud rate to communicate at) requiring to acquire the timing notice signal to the timing notice apparatus one time over the USB cable (Cedola, Column 3, lines 40-45, client computer 24 sends the text string "CLIENT" to the host computer 22 once); and

Notice signal reception means for, when the acquisition command is transmitted by the command transmission means to the timing notice apparatus (ie. the host computer 22) one time over the USB cable, waiting to receive the timing notice signal transmitted from the timing notice apparatus over the USB cable under the predetermined timing (Cedola, Column 4 lines 50-61, the reception of the timing notice signal [ie. the text string "SERVERCLIENT"] from the host computer 22 indicates that the correct baud rate has been selected).

Cedola does not expressly disclose that the predetermined timing notice corresponds to a frame frequency of image data to be edited.

In the same field of endeavor (e.g. detecting frame frequency rates for communicating with peripheral devices over a serial connection), AAPA teaches a

predetermined timing notice corresponding to a frame frequency of image data to be edited (AAPA, Page 1, lines 5-13 under Description of Related Art).

The motivation utilized in the combination of Claim 1, super, applies equally as well to Claim 5.

Regarding Claim 6, Cedola teaches a timing notice apparatus (Cedola, Figure 1, item 22, Column 3, lines 6-37) that is connected to a computer (Cedola, Figure 1, item 24, Column 4, lines 9-18) over a serial cable (Cedola, Figure 1, item 26, Column 2 line 66 – Column 3 line 5, it would be obvious to one of ordinary skill in the art that the serial cable 26 could comprise of a universal serial bus (USB) cable), comprising:

Command reception means for, for each requirement to acquire the timing notice signal, receiving the acquisition command (Cedola, Figure 1, item 64, Column 3 line 59 – Column 4 line 1) transmitted from the computer one time over the USB cable; and

Notice signal transmission means for, when the acquisition command is received by the command reception means, transmitting the timing notice signal, which is input under the predetermined timing that comes foremost after the reception of the acquisition command, to the computer over the USB cable at the same time when the timing notice signal is input (Cedola, Column 3, lines 40-45 and Column 4, lines 50-61, the notice signal [ie. the reply text string "SERVERCLIENT"] is sent to the client computer 24 immediately upon correctly receiving the acquisition command).

Cedola does not expressly disclose wherein the timing notice apparatus comprises synchronization information extraction means for, from a reference signal

Application/Control Number: 10/799,617

Art Unit: 2112

provided from outside and in which synchronization information is sequentially stored under the predetermined timing, sequentially extracting the synchronization information to the notice signal transmission means as the timing notice signal for the predetermined timing notice.

In the same field of endeavor, AAPA teaches wherein the timing notice apparatus comprises synchronization information extraction means for, from a reference signal provided from outside and in which synchronization information is sequentially stored under the predetermined timing, sequentially extracting the synchronization information to the notice signal transmission means as the timing notice signal for the predetermined timing notice (AAPA, Page 1 line 5 – Page 2 line 4, under Description of Related Art).

The motivation utilized in the combination of Claim 1, super, applies equally as well to Claim 6.

Claim 7 is directed to a method of the system of Claims 1-4, and Claim 8 is directed to a program operable on a computer to perform the method of the system of Claims 1-4. Cedola and AAPA teach, either alone or in combination as stated above, the system as set forth in Claims 1-4. Therefore, Cedola and AAPA also teach, either alone or in combination as stated above, a method as set forth in Claim 7 and a computer program as set forth in Claim 8.

Application/Control Number: 10/799,617 Page 10

Art Unit: 2112

Prior Art of Record

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Kennedy et al. (U.S. Patent No. 5,490,209) discloses an autobaud rate detection mechanism. Ishii (U.S. Patent No. 5,724,615) discloses a communication circuit receiving data selectably synchronized to the rising or falling edge of a timing signal provided from the data source. Ohmura et al. (U.S. Patent No. 5,815,280) discloses an image recording apparatus with prioritization of input. Van Oostrom et al. (U.S. Patent No. 6,074,345) discloses a patient data acquisition and control system. Moore et al. (U.S. Patent No. 6,166,766) discloses a sensing circuit for capturing a pixel signal. Loyer et al. (U.S. Patent No. 6,366,610) discloses autobauding with adjustment to a programmable baud rate. Hesse et al. (U.S. Patent Publication No. 2003/0225957) discloses transaction duration management in a USB host controller. West et al. (U.S. Patent Publication No. 2005/0041602) discloses methods and apparatus for providing high speed connectivity to a hotel environment.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Faisal Zaman whose telephone number is 571-272-6495. The examiner can normally be reached on Monday thru Friday, 9 am - 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rehana Perveen can be reached on 571-272-3676. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/799,617 Page 11

Art Unit: 2112

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mares Dones

fmz

Applicate Opt On the same